







SNOW BLOWER



TECHNICAL SPECIFICATION

Model		Standard flow			High flow			
		TN 125	TN 155	TN 185	TNX 155	TNX 185	TNX 210	
Working width	mm	1250	1550	1850	1550	1850	2100	
Oil flow, min-max	lt/min	35 - 50	45 - 60	50 - 70	90 - 120	110 - 130	120 - 140	
Oil pressure, min-max	bar	160 - 190	170 - 190		190 - 220			
Weight	kg	320	410	450	445	490	580	
Front height	mm	600	740		740		860	
Auger diameter	mm	355			355		460	
Impeller diameter	mm	420	560		560		610	
270° chute rotation		hydraulic						
Flap tilt		hydraulic						
Hydraulic transversal tilt ⁽¹⁾		---	± 10°					
Side flaps ⁽¹⁾		5 cm each side						
	ton	1,6 - 2,2	2,3 - 2,8	2,8 - 3,8	2,3 - 2,8	2,8 - 3,8	3,4 - 4,8	
	ton	1,8 - 2,4	2,8 - 4,2	4,0 - 5,5	2,8 - 4,2	4,0 - 5,5	5,5 - 8,0	
	ton	1,9 - 2,6	3,0 - 4,3	4,3 - 6,0	3,0 - 4,3	4,3 - 6,0	6,0 - 8,2	
Overall size in standard configuration		A cm	125	155	185	155	185	210
		B cm	128	142	142	142	142	164
		C cm	83	91	91	91	91	102

⁽¹⁾ On request



**Extended chute
for loading on trucks**
up to 2,77 meter (mod. TNX 155/185)
and 2,82 meter (mod. TNX 210)



G.F. Gordini srl

Via E. Mattei, 4 - 48012 Bagnacavallo RA - Italy

tel. +39 0545 62712 fax +39 0545 62140

info@gfgordini.com - www.gfgordini.com

ACCESSORI PER MACCHINE OPERATRICI

Data, descriptions and images of this document are not binding hence GF Gordini reserves the right to alter part or all of them at any time with no notice.